PHOTOGRAPHIC INTERPRETATION REPORT

# ICBM COMPLEX, GLADKAYA, USSR LAUNCH AREA D

**Declass Review by NIMA/DOD** 






Handle Via TALENT - KEYHOLE Control Only

WARNING

This document contains classified information affecting the national security of the United States within the meaning of the espionage laws U. S. Code Title 18, Sections 793 and 794. The law prohibits its transmission or the revelotion of its contents in any manner to an unauthorized person, as well as its use in any manner prejudicial to the safety or interest of the United States or for the benefit of any foreign government to the detriment of the United States. It is to be seen only by personnal especially indoctrinated and authorized to receive TALENT-KEYHOLE information. Its security must be maintained in accordance with KEYHOLE and TALENT regulations.

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



TOT SECKE

for an fundament

Handle Via
TALENT-KEYHOLE
Control System Only

TCS-80639/65

# ICBM COMPLEX, GLADKAYA, USSR

25X9

### LAUNCH AREA D

25X9

25X1D

25X1D

25X1D

25X1D

25X1D

This report, based on KEYHOLE photography through revises and updates information on Launch Area D (5)\* at the Gladkaya Complex contained in NPIC/R-223/64, dated April 1964. 1/ Launch Area D (56-21N 92-15E), located 15.4 nm north of the complex support facility, consists of a completed Type IIIA launch site and a site support facility (Figures 1 and 2). The launch area was first seen in

was not evident in

The launch area was considered complete in

The launch site consists of a loop road which contains 3 launch silos, an earth-mounded control bunker, 2 possible semiburied tanks, and an earth-mounded possible structure adjacent to the westernmost silo. Short access roads connect the silos with the loop road. Two earth-

other buildings, including a security building next to the site access road, are at the launch site. No security fencing is apparent.

mounded missile RIM buildings and the

The site support facility is 2,900 feet east of the launch site. It consists of an administration and housing section and a housing section. The administration and housing section contains 46 buildings, including 25 barracks-type buildings. The housing section contains 14 buildings, including 4 barracks-type buildings. Seven other buildings, including 2 barracks-type buildings, are about 1.500 feet northwest of the housing section. At least 17 buildings have been removed from the site support facility since

25X1D

- 1 -

<sup>\*</sup>TDI site designator is indicated in parentheses.




25X1D

FIGURE 1. LAUNCH AREA D.

- 2 -

Handle Via TALENT-KEYHOLE Control System Only



# LAUNCH SITE

# SITE SUPPORT FACILITY

	25X1D	ADMINISTRATION AND HOUSING SECTION		HOUSING SECTION	
Site orientation Silo separation 1 building 2 missile RIM buildings 3 silo doors	5° 1 buil 2 buil 1 buil 2 buil 1 buil	1 building: 1 building 1 building 9 buildings 1 building 2 buildings 1 buildings 1 buildings 1 buildings 1 buildings 14 buildings 1 buildings	160' x 65' 160' x 55' 150' x 35' 140' x 45' 130' x 45' 125' x 45' 110' x 30' 100' x 65' 90' x 30' 85' x 60'	3 buildings 1 building 1 building	140' x 45' 135' x 50' 110' x 30'
			•		

FIGURE 2. LAYOUT OF LAUNCH AREA D.

- 3 -

Handle Via TALENT-KEYHOLE Control System Only


# TOP SECRET RUFF

Handle Via TALENT-KEYHOLE Control System Only

TCS-80639/65

REFERENCES

# 25X1D



## MAPS OR CHARTS

SAC. US Air Target Chart, Series 200, Sheet MO159-22A, Interim 3d ed, Mar 65, scale 1:200,000 (SECRET) ACIC. ONC E-7, 1st ed, 15 Aug 61, scale 1:1,000,000 (CONFIDENTIAL)

#### DOCUMENT

1. NPIC R-223 '64, ICBM Complex, Gladkaya, USSR, Apr 64 (TOP SECRET RUFF)

#### REQUIREMENT

GMAIC: 3-65

# NPIC Project

11005 65

